# INDIANA DEPARTMENT OF TRANSPORTATION NOTICE TO HIGHWAY CONTRACTORS

DATE OF LETTING: May 07, 2015

TIME OF LETTING: 10:00 AM EASTERN DST

### SUPPLEMENTAL NO. 1

Sealed proposals for certain highway improvements as described below will be received from contractors holding a valid Certificate of Qualification issued by the Indiana Department of Transportation.

\_\_\_\_\_\_

LOCATION OF DEPOSIT: Indiana Department of Transportation, Mr. John P. Wooden, Bid Review & Estimate Manager, Room N725, Government Center North, 100 North Senate Avenue, Indianapolis, IN 46204-2217

LOCATION OF OPENING: All proposals will immediately thereafter be taken to the N725 Conf. Room, Government Center North, 100 N. Senate Avenue, Indianapolis, Indiana where they will be publicly opened and read.

------

Contract documents will be available for downloading via the Indiana Department of Transportation (INDOT) Extranet at no cost. The internet address of the INDOT Extranet is: http://netservices.indot.in.gov/

Bids will be considered as provided for in the Prequalification and Bidding Regulations on file. Copies are available in Room N725, Government Center North.

## IMPLEMENTATION OF ELECTRONIC BIDDING

All contracts within this notice are designated for electronic bidding via Bid Express. Only electronic bids submitted via Bid Express will be accepted on contracts designated for electronic bidding; the paper Proposal Book (blue cover) will not be issued for these contracts. It is the bidder's responsibility to check the Bid Express website for all amendment files prior to the deadline for bid submittal. This includes amendment files that may be generated as a result of administrative changes to the bidding form, which may not be communicated in a revision letter.

#### MANDATORY BIDDER REGISTRATION

Contractors desiring to submit electronic bids via Bid Express must register with INDOT as a valid bidder by submitting the form provided by INDOT Customer Service at the website below. Failure to register will cause failure of the Bid Express bid submission process. NOTICE: A bidder may request valid bidder status by submitting the bidder registration form until 9:00 AM Eastern DST on the bid opening date.

#### BONDS

An executed bid bond and an executed performance bond shall be included with the bid, except on contracts for roadside mowing, vegetation control, demolition, landscaping, fencing, seeding and sodding, bridge painting, and guardrail installations of \$100,000 or less, the bidder may elect not to furnish a performance bond. NOTICE: Effective March 1, 2008, paper bid bonds will no longer be accepted. Only electronic bid bonds submitted through the designated electronic medium, either Surety 2000 or SurePathNetwork, will be accepted with the bid. Bid Express does not support submittal of the performance bond. The performance bond must be submitted to the construction letting email box or be delivered in paper.

## TITLE VI ASSURANCES

In accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Sub Title A, Office of the Secretary, Part 21, Nondiscrimination in Federally assisted programs of the Department of Transportation, the Indiana Department of Transportation assures minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, age, national origin, disability/handicap or income status in consideration for an award.

#### INTERNET ADDRESS

CALL 230 CONTRACT R -34509-A ROAD RECONSTRUCTION AND BRIDGE REHABILITATION OR REPAIR LAPORTE DISTRICT PG. 9

PROJECT CONTROL NUMBER   FED/STATE NUMBER		LOCATION	
0900071	0900071	ROAD RECONSTRUCTION AND BRIDGE REHABILITATION OR REPAIR LAKE COUNTY - ON 61ST AVENUE, FROM ARIZONA STREET TO SR 51, AND ON 61ST AVENUE OVER DEEP RIVER IN THE CITY OF HOBART	
1297288	129728800LC4	BRIDGE REHABILITATION OR REPAIR, STR NO 45-00102, PRESTRESSED CONC BOX BEAM, 1 SPAN, TOTAL LENGTH 63.17 LFT LAKE COUNTY - ON 61ST AVENUE OVER DEEP RIVER	

COMPLETION DATE: May 31, 2017 DBE GOAL: 12.00 QUALIFICATIONS: C(B) B(A)

THE CONTRACT INFORMATION BOOK IS AVAILABLE ONLINE PLANS ARE AVAILABLE ONLINE

	NUMBER   FED/STATE NUMBER	LOCATION
1297835	129783500ST	REPAIR OR REPLACE CATHODIC PROTECTION  MARION COUNTY - ON I-65 UNDER VIRGINIA AVENUE, 0.05 MILE  NORTH OF I-70 (RP 110+0048)
1297836	129783600ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER WARMAN AVENUE, 4.63 MILES EAST OF I-465 (RP 077+0057)
1297844	129784400ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER WARMAN AVENUE, 4.63 MILES EAST OF I-465 (RP 077+0057)
1297845	129784500ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER DIVISION STREET, 2.0 MILES WEST OF I-65 (RP 078+0081)
1297846	129784500ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER WHITE RIVER, 1.72 MILES WEST OF I-65 (RP 079+0023)
1297855	129785500ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER WEST STREET AND MISSOURI STREET ,1.17 MILES WEST OF I-65 (RP 079+0064)
1297856	129785600ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER CAPITAL AVENUE, 0.97 MILE WEST OF I-65 (RP 079+0098)
1297857	129785700ST	REPAIR OR REPLACE CATHODIC PROTECTION

PAGE 2

NOTICE TO CONTRACTORS -- May 07, 2015 LETTING

MARION COUNTY - ON I-70 OVER CAPITAL AVENUE AND SOUTH

		KENWOOD AVENUE, 1.16 MILES WEST OF I-65 (RP 079+0079)
1297858	129785800ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 AT WEST BOUND LANE EXIT RAMP, 1.25 MILES WEST OF I-65 (RP 079+0070)
1297859	129785900ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER ILLINOIS STREET, 1.24 MILES WEST OF I-65 (RP 079+0071)
1297860	129786000ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 AT THE EAST BOUND LANE EXIT RAMP, 0.93 MILE WEST OF I-65 (RP 080+0003)
1297861	129786100ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER MERIDIAN STREET, 0.88 MILE WEST OF I-65 (RP 080+0008)
1297862	129786200ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER MERDIAN STREET, 0.83 MILE WEST OF I-465 (RP $080+0013$ )
1297863	129786300ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON $I-70$ OVER THE RAMPS TO MCCARY STREET, 0.77 MILE WEST OF $I-65$ (RP 080+0019)
1297864	129786400ST	REPAIR OR REPLACE CATHODIC PROTECTION MARION COUNTY - ON I-70 OVER MADISON AVENUE AT THE PENN, RAILROAD, 0.65 MILE WEST OF I-65 (RP 080+0031)
COMPLETION DATE:	November 20, 2015	DBE GOAL: 0.00 QUALIFICATIONS: D(B) E(A)

THE CONTRACT INFORMATION BOOK IS AVAILABLE ONLINE

CALL 464 CONTRACT B -37066-B DESIGN BUILD-BRIDGE DECK REPLACEMENT FT. WAYNE DISTRICT PG. 16

PROJECT CONTROL NUMBER | FED/STATE NUMBER

1383579 | 138357900ST2 | DESIGN BUILD - BRIDGE DECK REPLACEMENT
DEKALB COUNTY - US 6 OVER BIG RUN, 0.96 MILES EAST OF
STATE ROAD 1 (RP 146+0079)

MBE GOAL: 7.00 WBE GOAL: 5.00 QUALIFICATIONS: D(A)

COMPLETION DATE: May 31, 2017 IVBE GOAL: 3.00

THE CONTRACT INFORMATION BOOK IS AVAILABLE ONLINE

PAGE 3

L 470	CONTRACT B -37175-A	A REPAIR OR REPLACE JOINTS	GREENFIELD DISTRICT PG.	1
	ECT CONTROL NUMBER		LOCATION	
1	1400478	1400478	REPAIR OR REPLACE JOINTS, STR NO 1465-115-05048, CONTINUOUS CONCRETE GIRDER, 4 SPANS, TOTAL LENGTH 218.33 LFT MARION COUNTY - ON ENGLISH AVENUE OVER I-465, 0.77 MILES NORTH OF US 52 (RP 046+0043)	
1	1400479	1400479	REPAIR OR REPLACE JOINTS, STR NO 1465-133-05284, CONTINUOUS CONCRETE GIRDER, 4 SPANS, TOTAL LENGTH 212 LFT MARION COUNTY - ON TOWNSHIP LINE ROAD OVER I-465, 1.35 MILES EAST OF US 421 (RP 028+0015)	
1	1400480	1400480	REPAIR OR REPLACE JOINTS, STR NO 170-83-05708, CONTINUOUS COMPOSITE STEEL BEAM, 2 SPANS, TOTAL LENGTH 213.5 LFT MARION COUNTY - ON EMERSON AVENUE OVER I-70, 2.84 MILES WEST OF I-465 (RP 086+0049)	
1	1400481	1400481	REPAIR OR REPLACE JOINTS, STR NO 170-89-05383, CONTINUOUS COMPOSITE STEEL BEAM, 2 SPANS, TOTAL LENGTH 198.5 LFT MARION COUNTY - ON MITTHOEFER ROAD OVER I-70, 2.34 MILES EAST OF I-465 (RP 091+0071)	
1	1400482	1400482	REPAIR OR REPLACE JOINTS, STR NO 174-94-04633, CONTINUOUS COMPOSITE CONCRETE GIRDER, 4 SPANS, TOTAL LENGTH 215.67 LFT MARION COUNTY - ON FISHER ROAD OVER I-74, 0.52 MILES EAST OF I-465 (RP 094+0007)	
1	1400483	1400483	REPAIR OR REPLACE JOINTS, STR NO 174-97-04208, CONCRETE GIRDER, 4 SPANS, TOTAL LENGTH 215.33 LFT MARION COUNTY - ON VANDERGRIFF ROAD OVER 1-74, 2.92 MILES EAST OF 1-465 (RP 096+0047)	
1	1400484	1400484	REPAIR OR REPLACE JOINTS, STR I465-136-05473, CONTINUOUS COMPOSITE STEEL BEAM, 4 SPANS, TOTAL LENGTH 180.28 LFT BOONE COUNTY - ON I-465 OVER I-865, 1.97 MILES WEST OF US 421 (RP 024+0050)	
1	1400485	1400485	REPAIR OR REPLACE JOINTS, STR NO 1465-134-05285E, CONTINUOUS COMPOSITE STEEL BEAM , 2 SPANS, TOTAL LENGTH 159.83 LFT MARION COUNTY - ON I-465E OVER US 421, 3.89 MILES WEST OF US 31 (RP 026+0081)	
1	1400486	1400486	REPAIR OR REPLACE JOINTS, STR NO 1465-134-05285W, CONTINUOUS COMPOSITE STEEL BEAM, 2 SPANS, TOTAL LENGTH 159.83 LFT MARION COUNTY - ON I-465W OVER US 421, 3.89 MILES WEST OF US 31 (RP 026+0081)	
1	1400488	1400488	REPAIR OR REPLACE JOINTS, STR NO 1465-125-05270W, CONTINUOUS COMPOSITE STEEL BEAM, 2 SPANS, TOTAL LENGTH 206.22 LFT MARION COUNTY - ON I-465W OVER I-69, 4.56 MILES NORTH OF US 36 (RP 036+0087)	
	1400493	1400493	REPAIR OR REPLACE JOINTS, STR NO 1465-125-05270E, CONTINUOUS	

	NOTICE TO CONTRACT	TORS May 07, 2015 LETTING  COMPOSITE STEEL BEAM, 2 SPANS, TOTAL LENGTH 206.22 LFT  MARION COUNTY - ON I-465E OVER I-69, 4.56 MILES NORTH OF  US 36 (RP 036+0087)
1400494	1400494	REPAIR OR REPLACE JOINTS, STR NO 1465-120-02256N, CONTINUOUS COMPOSITE STEEL BEAM, 3 SPANS, TOTAL LENGTH 155.94 LFT MARION COUNTY - ON I-465N OVER CSX RR, 0.24 MILES NORTH OF US 36 (RP 041+0020)
1400495	1400495	REPAIR OR REPLACE JOINTS, STR NO 1465-120-02256S, CONTINUOUS COMPOSITE STEEL BEAM, 3 SPANS, TOTAL LENGTH 155.94 LFT MARION COUNTY - ON I-465S OVER CSX RR, 0.24 MILES NORTH OF US 36 (RP 041+0020)
1400496	1400496	REPAIR OR REPLACE JOINTS, STR NO 1465-123-05267N, CONTINUOUS COMPOSITE STEEL BEAM, 2 SPANS, TOTAL LENGTH 134.35 MARION COUNTY - ON I-465N OVER FALL CREEK ROAD, 2.0 MILES SOUTH OF I-69 (RP 038+0087)
1400497	1400497	REPAIR OR REPLACE JOINTS, STR NO 1465-123-05267S, CONTINUOUS COMPOSITE STEEL BEAM, 2 SPANS, TOTAL LENGTH 134.35 LFT MARION COUNTY - ON I-465S OVER FALL CREEK ROAD, 2.0 MILES SOUTH OF I-69 (RP 038+0087)
1400498	1400498	REPAIR OR REPLACE JOINTS, STR NO 1465-125-02377, CONTINUOUS COMPOSITE STEEL BEAM, 3 SPANS, TOTAL LENGTH 143.68 LFT MARION COUNTY - ON I-69 RAMP OVER ITM RR, 0.2 MILES NORTH OF I-69 (RP 036+0068)
1400501	1400501	REPAIR OR REPLACE JOINTS, STR NO I65-116-04913, CONTINUOUS COMPOSITE STEEL BEAM, 4 SPANS, TOTAL LENGTH 179.42 LFT MARION COUNTY - ON I-65 OVER DR MLK JR ST, 5.69 MILES NORTH OF I-70 (RP 115+0078)
1400502	1400502	REPAIR OR REPLACE JOINTS, STR NO 165-117-04914, CONTINUOUS COMPOSITE STEEL BEAM, 3 SPANS, TOTAL LENGTH 181.83 LFT MARION COUNTY - ON I-65 OVER CLIFTON ST, 6.0 MILES NORTH OF I-70 (RP 116+0020)
1400503	1400503	REPAIR OR REPLACE JOINTS, STR NO 165-118-04838N, CONTINUOUS COMPOSITE STEEL BEAM, 3 SPANS, TOTAL LENGTH 200 LFT MARION COUNTY - ON I-65N OVER CROOKED CREEK, 5.05 MILES SOUTH OF I-465 (RP 117+0072)
1400504	1400504	REPAIR OR REPLACE JOINTS, STR NO 165-118-04838S, CONTINUOUS COMPOSITE STEEL BEAM, 3 SPANS, TOTAL LENGTH 200 LFT MARION COUNTY - ON I-65S OVER CROOKED CREEK, 5.05 MILES SOUTH OF I-465 (RP 117+0072)
1400505	1400505	REPAIR OR REPLACE JOINTS, STR NO 165-118-08315, CONTINUOUS COMP POST TENSIONED TEE, 3 SPANS, TOTAL LENGTH 335.2 LFT MARION COUNTY - 38TH ST OVER I-65, 5.22 MILES SOUTH OF I-465 (RP 117+0055)
1401294	1401294	REPAIR OR REPLACE JOINTS, STR NO 170-75-02376, CONTINUOUS STEEL BEAM, 24 SPANS, TOTAL LENGTH VARIES MARION COUNTY - ON 1-70 OVER CSX RR, 3.88 MILES EAST OF I-465 (RP 076+0081)

NOTICE TO CONTRACTORS -- May 07, 2015 LETTING

1401295	1401295	REPAIR OR REPLACE JOINTS, STR NO 174-102-03786W, COMPOSITE STEEL BEAM, 1 SPAN, TOTAL LENGTH 53.75 LFT SHELBY COUNTY - ON 1-74W OVER WEST LITTLE SUGAR CREEK, 8.32 MILES EAST OF 1-465 (RP 101+0087)
1401296	1401296	REPAIR OR REPLACE JOINTS, STR NO 174-102-03786E, COMPOSITE STEEL BEAM, 1 SPAN, TOTAL LENGTH 53.75 LFT SHELBY COUNTY - ON 1-74E OVER WEST LITTLE SUGAR CREEK, 8.32 MILES EAST OF I-465 (RP 101+0087)
1401301	1401301	REPAIR OR REPLACE JOINTS, STR NO 170-90-05384, CONTINUOUS COMPOSITE STEEL BEAM, 4 SPANS, TOTAL LENGTH 228.5 LFT MARION COUNTY - ON GERMAN CHURCH ROAD OVER 1-70, 3.35 MILES EAST OF 1-465 (RP 092+0072)
COMPLETION DATE:	October 19, 2015	DBE GOAL: 6.00 QUALIFICATIONS: D(A) E(C) 0341

THE CONTRACT INFORMATION BOOK IS AVAILABLE ONLINE

CALL 510 CONTRACT B -38067-A BRIDGE REHABILITATION SEYMOUR DISTRICT PG. 18

PROJECT CONTROL NUMBER | FED/STATE NUMBER LOCATION

1401826 | 140182600ST5 BRIDGE REHABILITATION, STR NO 1265-0-05513W, CONTINUOUS

DOST5 BRIDGE REHABILITATION, STR NO 1265-0-05513W, CONTINUOUS COMPOSITE STEEL BEAM, 3 SPANS, TOTAL LENGTH 135 LFT

FLOYD COUNTY - ON I-265 OVER STATE STREET, 0.84 MILE EAST OF

I-64 (000+0084)

COMPLETION DATE: June 30, 2015 DBE GOAL: 0.00 QUALIFICATIONS: D(B) 0050

THE CONTRACT INFORMATION BOOK IS AVAILABLE ONLINE PLANS ARE AVAILABLE ONLINE